



Reducers asymmetrical 63/50 to 180/160 MM

Popis

socket connection

PVC

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	90	25	25	40	6,5	3,0	3,0
2	0075-0050	125	35	25	65	12,5	3,0	3,0
3	0075-0063	100	35	25	40	6,0	3,0	3,0
4	0090-0050	150	35	25	90	20,0	3,0	3,0
5	0090-0063	125	35	25	65	13,5	3,0	3,0
6	0090-0075	115	35	35	45	7,5	3,0	3,0
7	0110-0050	185	40	25	120	30,0	3,0	3,0
8	0110-0063	160	40	25	95	23,5	3,0	3,0
9	0110-0075	150	40	35	75	17,5	3,0	3,0
10	0110-0090	125	40	35	50	10,0	3,0	3,0
11	0125-0050	210	40	25	145	37,5	3,0	3,0
12	0125-0063	185	40	25	120	31,0	3,0	3,0
13	0125-0075	175	40	35	100	25,0	3,0	3,0
14	0125-0090	150	40	35	75	17,5	3,0	3,0
15	0125-0110	115	40	40	35	7,5	3,0	3,0
16	0140-0063	215	40	25	150	38,5	3,0	3,0
17	0140-0075	205	40	35	130	32,5	3,0	3,0
18	0140-0090	175	40	35	100	25,0	3,0	3,0
19	0140-0110	135	40	40	55	15,0	3,0	3,0
20	0140-0125	110	40	40	30	7,5	3,0	3,0
21	0160-0063	245	40	25	180	48,5	3,0	3,0
22	0160-0075	230	40	35	155	42,5	3,0	3,0
23	0160-0090	205	40	35	130	35,0	3,0	3,0
24	0160-0110	175	40	40	95	25,0	3,0	3,0
25	0160-0125	145	40	40	65	17,5	3,0	3,0
26	0160-0140	120	40	40	40	10,0	3,0	3,0
27	0180-0050	300	40	25	235	65,0	3,0	3,0
28	0180-0075	265	40	35	190	52,5	3,0	3,0
29	0180-0090	240	40	35	165	45,0	3,0	3,0
30	0180-0110	205	40	40	125	35,0	3,0	3,0
31	0180-0125	180	40	40	100	27,5	3,0	3,0
32	0180-0140	155	40	40	75	20,0	3,0	3,0
33	0180-0160	120	40	40	40	10,0	3,0	3,0

PPs

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	100	25	25	50	6,5	3,0	3,0
2	0075-0050	130	35	25	70	12,5	3,0	3,0
3	0075-0063	105	35	25	45	6,0	3,0	3,0
4	0090-0050	155	35	25	95	20,0	3,0	3,0
5	0090-0063	130	35	25	70	13,5	3,0	3,0
6	0090-0075	120	35	35	50	7,5	3,0	3,0
7	0110-0050	190	40	25	125	30,0	3,0	3,0
8	0110-0063	165	40	25	100	23,5	3,0	3,0
9	0110-0075	155	40	35	80	17,5	3,0	3,0
10	0110-0090	130	40	35	55	10,0	3,0	3,0
11	0125-0050	215	40	25	150	37,5	3,0	3,0
12	0125-0063	190	40	25	125	31,0	3,0	3,0
13	0125-0075	180	40	35	105	25,0	3,0	3,0
14	0125-0090	155	40	35	80	17,5	3,0	3,0
15	0125-0110	120	40	40	40	7,5	3,0	3,0
16	0140-0063	220	40	25	155	38,5	3,0	3,0
17	0140-0075	210	40	35	135	32,5	3,0	3,0
18	0140-0090	180	40	35	105	25,0	3,0	3,0
19	0140-0110	145	40	40	65	15,0	3,0	3,0
20	0140-0125	120	40	40	40	7,5	3,0	3,0
21	0160-0063	255	40	25	190	48,5	3,0	3,0
22	0160-0075	240	40	35	165	42,5	3,0	3,0
23	0160-0090	215	40	35	140	35,0	3,0	3,0
24	0160-0110	180	40	40	100	25,0	3,0	3,0
25	0160-0125	155	40	40	75	17,5	3,0	3,0
26	0160-0140	130	40	40	50	10,0	3,0	3,0
27	0180-0050	310	40	25	245	65,0	3,0	3,0
28	0180-0075	275	40	35	200	52,5	3,0	3,0
29	0180-0090	250	40	35	175	45,0	3,0	3,0
30	0180-0110	215	40	40	135	35,0	3,0	3,0
31	0180-0125	190	40	40	110	27,5	3,0	3,0
32	0180-0140	165	40	40	85	20,0	3,0	3,0
33	0180-0160	130	40	40	50	10,0	3,0	3,0

PP

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	100	25	25	50	6,5	3,0	3,0
2	0075-0050	130	35	25	70	12,5	3,0	3,0
3	0075-0063	105	35	25	45	6,0	3,0	3,0
4	0090-0050	155	35	25	95	20,0	3,0	3,0
5	0090-0063	130	35	25	70	13,5	3,0	3,0
6	0090-0075	120	35	35	50	7,5	3,0	3,0
7	0110-0050	190	40	25	125	30,0	3,0	3,0
8	0110-0063	165	40	25	100	23,5	3,0	3,0
9	0110-0075	155	40	35	80	17,5	3,0	3,0
10	0110-0090	130	40	35	55	10,0	3,0	3,0
11	0125-0050	215	40	25	150	37,5	3,0	3,0
12	0125-0063	190	40	25	125	31,0	3,0	3,0
13	0125-0075	180	40	35	105	25,0	3,0	3,0
14	0125-0090	155	40	35	80	17,5	3,0	3,0
15	0125-0110	120	40	40	40	7,5	3,0	3,0
16	0140-0063	220	40	25	155	38,5	3,0	3,0
17	0140-0075	210	40	35	135	32,5	3,0	3,0
18	0140-0090	180	40	35	105	25,0	3,0	3,0
19	0140-0110	145	40	40	65	15,0	3,0	3,0
20	0140-0125	120	40	40	40	7,5	3,0	3,0
21	0160-0063	255	40	25	190	48,5	3,0	3,0
22	0160-0075	240	40	35	165	42,5	3,0	3,0
23	0160-0090	215	40	35	140	35,0	3,0	3,0
24	0160-0110	180	40	40	100	25,0	3,0	3,0
25	0160-0125	155	40	40	75	17,5	3,0	3,0
26	0160-0140	130	40	40	50	10,0	3,0	3,0
27	0180-0050	310	40	25	245	65,0	3,0	3,0
28	0180-0075	275	40	35	200	52,5	3,0	3,0
29	0180-0090	250	40	35	175	45,0	3,0	3,0
30	0180-0110	215	40	40	135	35,0	3,0	3,0
31	0180-0125	190	40	40	110	27,5	3,0	3,0
32	0180-0140	165	40	40	85	20,0	3,0	3,0
33	0180-0160	130	40	40	50	10,0	3,0	3,0

PE

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	100	25	25	50	6,5	3,0	3,0
2	0075-0050	130	35	25	70	12,5	3,0	3,0
3	0075-0063	105	35	25	45	6,0	3,0	3,0
4	0090-0050	155	35	25	95	20,0	3,0	3,0
5	0090-0063	130	35	25	70	13,5	3,0	3,0
6	0090-0075	120	35	35	50	7,5	3,0	3,0
7	0110-0050	190	40	25	125	30,0	3,0	3,0
8	0110-0063	165	40	25	100	23,5	3,0	3,0
9	0110-0075	155	40	35	80	17,5	3,0	3,0
10	0110-0090	130	40	35	55	10,0	3,0	3,0
11	0125-0050	215	40	25	150	37,5	3,0	3,0
12	0125-0063	190	40	25	125	31,0	3,0	3,0
13	0125-0075	180	40	35	105	25,0	3,0	3,0
14	0125-0090	155	40	35	80	17,5	3,0	3,0
15	0125-0110	120	40	40	40	7,5	3,0	3,0
16	0140-0063	220	40	25	155	38,5	3,0	3,0
17	0140-0075	210	40	35	135	32,5	3,0	3,0
18	0140-0090	180	40	35	105	25,0	3,0	3,0
19	0140-0110	145	40	40	65	15,0	3,0	3,0
20	0140-0125	120	40	40	40	7,5	3,0	3,0
21	0160-0063	255	40	25	190	48,5	3,0	3,0
22	0160-0075	240	40	35	165	42,5	3,0	3,0
23	0160-0090	215	40	35	140	35,0	3,0	3,0
24	0160-0110	180	40	40	100	25,0	3,0	3,0
25	0160-0125	155	40	40	75	17,5	3,0	3,0
26	0160-0140	130	40	40	50	10,0	3,0	3,0
27	0180-0050	310	40	25	245	65,0	3,0	3,0
28	0180-0075	275	40	35	200	52,5	3,0	3,0
29	0180-0090	250	40	35	175	45,0	3,0	3,0
30	0180-0110	215	40	40	135	35,0	3,0	3,0
31	0180-0125	190	40	40	110	27,5	3,0	3,0
32	0180-0140	165	40	40	85	20,0	3,0	3,0
33	0180-0160	130	40	40	50	10,0	3,0	3,0

PPs-el


#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	100	25	25	50	6,5	3,0	3,0
2	0075-0050	130	35	25	70	12,5	3,0	3,0
3	0075-0063	105	35	25	45	6,0	3,0	3,0
4	0090-0050	155	35	25	95	20,0	3,0	3,0
5	0090-0063	130	35	25	70	13,5	3,0	3,0
6	0090-0075	120	35	35	50	7,5	3,0	3,0
7	0110-0050	190	40	25	125	30,0	3,0	3,0
8	0110-0063	165	40	25	100	23,5	3,0	3,0
9	0110-0075	155	40	35	80	17,5	3,0	3,0
10	0110-0090	130	40	35	55	10,0	3,0	3,0
11	0125-0050	215	40	25	150	37,5	3,0	3,0
12	0125-0063	190	40	25	125	31,0	3,0	3,0
13	0125-0075	180	40	35	105	25,0	3,0	3,0
14	0125-0090	155	40	35	80	17,5	3,0	3,0
15	0125-0110	120	40	40	40	7,5	3,0	3,0
16	0140-0063	220	40	25	155	38,5	3,0	3,0
17	0140-0075	210	40	35	135	32,5	3,0	3,0
18	0140-0090	180	40	35	105	25,0	3,0	3,0
19	0140-0110	145	40	40	65	15,0	3,0	3,0
20	0140-0125	120	40	40	40	7,5	3,0	3,0
21	0160-0063	255	40	25	190	48,5	3,0	3,0
22	0160-0075	240	40	35	165	42,5	3,0	3,0
23	0160-0090	215	40	35	140	35,0	3,0	3,0
24	0160-0110	180	40	40	100	25,0	3,0	3,0
25	0160-0125	155	40	40	75	17,5	3,0	3,0
26	0160-0140	130	40	40	50	10,0	3,0	3,0
27	0180-0050	310	40	25	245	65,0	3,0	3,0
28	0180-0075	275	40	35	200	52,5	3,0	3,0
29	0180-0090	250	40	35	175	45,0	3,0	3,0
30	0180-0110	215	40	40	135	35,0	3,0	3,0
31	0180-0125	190	40	40	110	27,5	3,0	3,0
32	0180-0140	165	40	40	85	20,0	3,0	3,0
33	0180-0160	130	40	40	50	10,0	3,0	3,0

PVDF

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	100	25	25	50	6,5	3,0	3,0
2	0075-0050	130	35	25	70	12,5	3,0	3,0
3	0075-0063	105	35	25	45	6,0	3,0	3,0
4	0090-0050	155	35	25	95	20,0	3,0	3,0
5	0090-0063	130	35	25	70	13,5	3,0	3,0
6	0090-0075	120	35	35	50	7,5	3,0	3,0
7	0110-0050	190	40	25	125	30,0	3,0	3,0
8	0110-0063	165	40	25	100	23,5	3,0	3,0
9	0110-0075	155	40	35	80	17,5	3,0	3,0
10	0110-0090	130	40	35	55	10,0	3,0	3,0
11	0125-0050	215	40	25	150	37,5	3,0	3,0
12	0125-0063	190	40	25	125	31,0	3,0	3,0
13	0125-0075	180	40	35	105	25,0	3,0	3,0
14	0125-0090	155	40	35	80	17,5	3,0	3,0
15	0125-0110	120	40	40	40	7,5	3,0	3,0
16	0140-0063	220	40	25	155	38,5	3,0	3,0
17	0140-0075	210	40	35	135	32,5	3,0	3,0
18	0140-0090	180	40	35	105	25,0	3,0	3,0
19	0140-0110	145	40	40	65	15,0	3,0	3,0
20	0140-0125	120	40	40	40	7,5	3,0	3,0
21	0160-0063	255	40	25	190	48,5	3,0	3,0
22	0160-0075	240	40	35	165	42,5	3,0	3,0
23	0160-0090	215	40	35	140	35,0	3,0	3,0
24	0160-0110	180	40	40	100	25,0	3,0	3,0
25	0160-0125	155	40	40	75	17,5	3,0	3,0
26	0160-0140	130	40	40	50	10,0	3,0	3,0
27	0180-0050	310	40	25	245	65,0	3,0	3,0
28	0180-0075	275	40	35	200	52,5	3,0	3,0
29	0180-0090	250	40	35	175	45,0	3,0	3,0
30	0180-0110	215	40	40	135	35,0	3,0	3,0
31	0180-0125	190	40	40	110	27,5	3,0	3,0
32	0180-0140	165	40	40	85	20,0	3,0	3,0
33	0180-0160	130	40	40	50	10,0	3,0	3,0

PVC-UV

#	d1 x d2	L	L1	L2	L3	X	s	s1
1	0063-0050	90	25	25	40	6,5	3,0	3,0
2	0075-0050	125	35	25	65	12,5	3,0	3,0
3	0075-0063	100	35	25	40	6,0	3,0	3,0
4	0090-0050	150	35	25	90	20,0	3,0	3,0
5	0090-0063	125	35	25	65	13,5	3,0	3,0
6	0090-0075	115	35	35	45	7,5	3,0	3,0
7	0110-0050	185	40	25	120	30,0	3,0	3,0
8	0110-0063	160	40	25	95	23,5	3,0	3,0
9	0110-0075	150	40	35	75	17,5	3,0	3,0
10	0110-0090	125	40	35	50	10,0	3,0	3,0
11	0125-0050	210	40	25	145	37,5	3,0	3,0
12	0125-0063	185	40	25	120	31,0	3,0	3,0
13	0125-0075	175	40	35	100	25,0	3,0	3,0
14	0125-0090	150	40	35	75	17,5	3,0	3,0
15	0125-0110	115	40	40	35	7,5	3,0	3,0
16	0140-0063	215	40	25	150	38,5	3,0	3,0
17	0140-0075	205	40	35	130	32,5	3,0	3,0
18	0140-0090	175	40	35	100	25,0	3,0	3,0
19	0140-0110	135	40	40	55	15,0	3,0	3,0
20	0140-0125	110	40	40	30	7,5	3,0	3,0
21	0160-0063	245	40	25	180	48,5	3,0	3,0
22	0160-0075	230	40	35	155	42,5	3,0	3,0
23	0160-0090	205	40	35	130	35,0	3,0	3,0
24	0160-0110	175	40	40	95	25,0	3,0	3,0
25	0160-0125	145	40	40	65	17,5	3,0	3,0
26	0160-0140	120	40	40	40	10,0	3,0	3,0
27	0180-0050	300	40	25	235	65,0	3,0	3,0
28	0180-0075	265	40	35	190	52,5	3,0	3,0
29	0180-0090	240	40	35	165	45,0	3,0	3,0
30	0180-0110	205	40	40	125	35,0	3,0	3,0
31	0180-0125	180	40	40	100	27,5	3,0	3,0
32	0180-0140	155	40	40	75	20,0	3,0	3,0
33	0180-0160	120	40	40	40	10,0	3,0	3,0



Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

Farprosys, s.r.o.
email: info@farprosys.com
tel. +420 728 757 770
www.atexventilatory.cz