



T-pieces 90° (reduced)

Popis
reduced

PVC

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	1,8	3,0
2	0110	0063	0110	220	45	130	35	70	1,8	3,0
3	0110	0075	0110	220	45	130	35	70	1,8	3,0
4	0110	0090	0110	220	45	130	35	70	1,8	3,0
5	0125	0050	0125	275	45	185	25	78	1,8	3,0
6	0125	0063	0125	275	45	185	35	78	1,8	3,0
7	0125	0075	0125	275	45	185	35	78	1,8	3,0
8	0125	0090	0125	275	45	185	35	78	1,8	3,0
9	0125	0110	0125	275	45	185	40	78	1,8	3,0
10	0140	0050	0140	275	40	195	25	85	1,8	3,0
11	0140	0063	0140	275	40	195	35	85	1,8	3,0
12	0140	0075	0140	275	40	195	35	85	1,8	3,0
13	0140	0090	0140	275	40	195	35	85	1,8	3,0
14	0140	0110	0140	275	40	195	40	85	1,8	3,0
15	0140	0125	0140	275	40	195	40	85	1,8	3,0
16	160	50	160	320	45	230	25	95	2,5	3,0
17	0160	0063	0160	320	45	230	35	95	2,5	3,0
18	0160	0075	0160	320	45	230	35	95	2,5	3,0
19	0160	0090	0160	320	45	230	35	95	2,5	3,0
20	0160	0110	0160	320	45	230	40	95	2,5	3,0
21	0160	0125	0160	320	45	230	40	95	2,5	3,0
22	0160	0140	0160	320	45	230	40	95	2,5	3,0
23	0180	0050	0180	375	50	275	25	110	2,5	3,0
24	0180	0063	0180	375	50	275	35	110	2,5	3,0
25	0180	0075	0180	375	50	275	35	110	2,5	3,0
26	0180	0090	0180	375	50	275	35	110	2,5	3,0
27	0180	0110	0180	375	50	275	40	110	2,5	3,0
28	0180	0125	0180	375	50	275	40	110	2,5	3,0
29	0180	0140	0180	375	50	275	40	110	2,5	3,0
30	0180	0160	0180	375	50	275	40	110	2,5	3,0
31	0200	0050	0200	375	50	275	25	120	2,5	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
32	0200	0063	0200	375	50	275	35	120	2,5	3,0
33	0200	0075	0200	375	50	275	35	120	2,5	3,0
34	0200	0090	00200	375	50	275	35	120	2,5	3,0
35	0200	0110	0200	375	50	275	40	120	2,5	3,0
36	0200	0125	0200	375	50	275	40	120	2,5	3,0
37	0200	0140	0200	375	50	275	40	120	2,5	3,0
38	0200	0160	0200	375	50	275	45	120	2,5	3,0
39	0250	0050	0250	420	50	320	25	140	2,9	3,0
40	0250	0063	0250	420	50	320	35	140	2,9	3,0
41	0250	0075	0250	420	50	320	35	140	2,9	3,0
42	0250	0090	0250	420	50	320	35	140	2,9	3,0
43	0250	0110	0250	420	50	320	40	140	2,9	3,0
44	0250	0125	0250	420	50	320	40	140	2,9	3,0
45	0250	0140	0250	420	50	320	40	140	2,9	3,0
46	0250	0160	0250	420	50	320	45	140	2,9	3,0
47	0250	0180	0250	420	50	320	50	140	2,9	3,0
48	0250	0200	0250	420	50	320	50	140	2,9	3,0
50	0280	0110	0280	460	50	360	40	160	2,9	3,0
51	0280	0160	0280	460	50	360	45	160	2,9	3,0
53	0280	0200	0280	460	50	360	50	160	2,9	3,0
54	0280	0250	0280	460	50	360	50	160	2,9	3,0
55	0315	0110	0315	520	50	420	40	175	2,9	3,0
56	0315	0160	0315	520	50	420	45	175	2,9	3,0
57	0315	0200	0315	520	50	420	50	175	2,9	3,0
58	0315	0250	0315	520	50	420	50	175	2,9	3,0
59	0315	0280	0315	520	50	420	50	175	2,9	3,0
60	0355	0110	0355	595	50	495	40	200	2,9	3,0
61	0355	0160	0355	595	50	495	45	200	2,9	3,0
62	0355	0200	0355	595	50	495	50	200	2,9	3,0
63	0355	0250	0355	595	50	495	50	200	2,9	3,0
64	0355	0280	0355	595	50	495	50	200	2,9	3,0
65	0355	0315	0355	595	50	495	60	200	2,9	3,0
66	0400	0110	0400	610	60	490	40	220	3,2	3,0
67	0400	0160	0400	610	60	490	45	220	3,2	3,0
68	0400	0200	0400	610	60	490	50	220	3,2	3,0
69	0400	0250	0400	610	60	490	50	220	3,2	3,0
70	0400	0280	0400	610	60	490	50	220	3,2	3,0
71	0400	0315	0400	610	60	490	60	220	3,2	3,0
72	0400	0355	0400	610	60	490	60	220	3,2	3,0
73	0500	0110	0500	795	70	655	40	270	5,6	3,0
74	0500	0160	0500	795	70	655	45	270	5,6	3,0
75	0500	0200	0500	795	70	655	50	270	5,6	3,0
76	0500	0250	0500	795	70	655	50	270	5,6	3,0
77	0500	0280	0500	795	70	655	50	270	5,6	3,0
78	0500	0315	0500	795	70	655	60	270	5,6	3,0
79	0500	0355	0500	795	70	655	60	270	5,6	4,0
80	0500	0400	0500	795	70	655	60	270	5,6	4,0
81	0500	0450	0500	795	70	655	70	270	5,6	4,0

PPs

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	3,0	3,0
2	0110	0063	0110	220	45	130	35	70	3,0	3,0
3	0110	0075	0110	220	45	130	35	70	3,0	3,0
4	0110	0090	0110	220	45	130	35	70	3,0	3,0
5	0125	0050	0125	275	45	185	25	78	3,0	3,0
6	0125	0063	0125	275	45	185	35	78	3,0	3,0
7	0125	0075	0125	275	45	185	35	78	3,0	3,0
8	0125	0090	0125	275	45	185	35	78	3,0	3,0
9	0125	0110	0125	275	45	185	40	78	3,0	3,0
10	0140	0050	0140	275	40	195	25	85	3,0	3,0
11	0140	0063	0140	275	40	195	35	85	3,0	3,0
12	0140	0075	0140	275	40	195	35	85	3,0	3,0
13	0140	0090	0140	275	40	195	35	85	3,0	3,0
14	0140	0110	0140	275	40	195	40	85	3,0	3,0
15	0140	0125	0140	275	40	195	40	85	3,0	3,0
16	160	50	160	320	45	230	25	95	3,0	3,0
17	0160	0063	0160	320	45	230	35	95	3,0	3,0
18	0160	0075	0160	320	45	230	35	95	3,0	3,0
19	0160	0090	0160	320	45	230	35	95	3,0	3,0
20	0160	0110	0160	320	45	230	40	95	3,0	3,0
21	0160	0125	0160	320	45	230	40	95	3,0	3,0
22	0160	0140	0160	320	45	230	40	95	3,0	3,0
23	0180	0050	0180	375	50	275	25	110	3,0	3,0
24	0180	0063	0180	375	50	275	35	110	3,0	3,0
25	0180	0075	0180	375	50	275	35	110	3,0	3,0
26	0180	0090	0180	375	50	275	35	110	3,0	3,0
27	0180	0110	0180	375	50	275	40	110	3,0	3,0
28	0180	0125	0180	375	50	275	40	110	3,0	3,0
29	0180	0140	0180	375	50	275	40	110	3,0	3,0
30	0180	0160	0180	375	50	275	40	110	3,0	3,0
31	0200	0050	0200	375	50	275	25	120	3,0	3,0
32	0200	0063	0200	375	50	275	35	120	3,0	3,0
33	0200	0075	0200	375	50	275	35	120	3,0	3,0
34	0200	0090	00200	375	50	275	35	120	3,0	3,0
35	0200	0110	0200	375	50	275	40	120	3,0	3,0
36	0200	0125	0200	375	50	275	40	120	3,0	3,0
37	0200	0140	0200	375	50	275	40	120	3,0	3,0
38	0200	0160	0200	375	50	275	45	120	3,0	3,0
39	0250	0050	0250	420	50	320	25	140	3,5	3,0
40	0250	0063	0250	420	50	320	35	140	3,5	3,0
41	0250	0075	0250	420	50	320	35	140	3,5	3,0
42	0250	0090	0250	420	50	320	35	140	3,5	3,0
43	0250	0110	0250	420	50	320	40	140	3,5	3,0
44	0250	0125	0250	420	50	320	40	140	3,5	3,0
45	0250	0140	0250	420	50	320	40	140	3,5	3,0
46	0250	0160	0250	420	50	320	45	140	3,5	3,0
47	0250	0180	0250	420	50	320	50	140	3,5	3,0
48	0250	0200	0250	420	50	320	50	140	3,5	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
50	0280	0110	0280	460	50	360	40	160	4,0	3,0
51	0280	0160	0280	460	50	360	45	160	4,0	3,0
53	0280	0200	0280	460	50	360	50	160	4,0	3,0
54	0280	0250	0280	460	50	360	50	160	4,0	3,5
55	0315	0110	0315	520	50	420	40	175	5,0	3,0
56	0315	0160	0315	520	50	420	45	175	5,0	3,0
57	0315	0200	0315	520	50	420	50	175	5,0	3,0
58	0315	0250	0315	520	50	420	50	175	5,0	3,5
59	0315	0280	0315	520	50	420	50	175	5,0	4,0
60	0355	0110	0355	595	50	495	40	200	5,0	3,0
61	0355	0160	0355	595	50	495	45	200	5,0	3,0
62	0355	0200	0355	595	50	495	50	200	5,0	3,0
63	0355	0250	0355	595	50	495	50	200	5,0	3,5
64	0355	0280	0355	595	50	495	50	200	5,0	4,0
65	0355	0315	0355	595	50	495	60	200	5,0	5,0
66	0400	0110	0400	610	60	490	40	220	6,0	3,0
67	0400	0160	0400	610	60	490	45	220	6,0	3,0
68	0400	0200	0400	610	60	490	50	220	6,0	3,0
69	0400	0250	0400	610	60	490	50	220	6,0	3,5
70	0400	0280	0400	610	60	490	50	220	6,0	4,0
71	0400	0315	0400	610	60	490	60	220	6,0	5,0
72	0400	0355	0400	610	60	490	60	220	6,0	5,0
73	0500	0110	0500	795	70	655	40	270	8,0	3,0
74	0500	0160	0500	795	70	655	45	270	8,0	3,0
75	0500	0200	0500	795	70	655	50	270	8,0	3,0
76	0500	0250	0500	795	70	655	50	270	8,0	3,5
77	0500	0280	0500	795	70	655	50	270	8,0	4,0
78	0500	0315	0500	795	70	655	60	270	8,0	5,0
79	0500	0355	0500	795	70	655	60	270	8,0	5,0
80	0500	0400	0500	795	70	655	60	270	8,0	6,0
81	0500	0450	0500	795	70	655	70	270	8,0	7,0

PP

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	3,0	3,0
2	0110	0063	0110	220	45	130	35	70	3,0	3,0
3	0110	0075	0110	220	45	130	35	70	3,0	3,0
4	0110	0090	0110	220	45	130	35	70	3,0	3,0
5	0125	0050	0125	275	45	185	25	78	3,0	3,0
6	0125	0063	0125	275	45	185	35	78	3,0	3,0
7	0125	0075	0125	275	45	185	35	78	3,0	3,0
8	0125	0090	0125	275	45	185	35	78	3,0	3,0
9	0125	0110	0125	275	45	185	40	78	3,0	3,0
10	0140	0050	0140	275	40	195	25	85	3,0	3,0
11	0140	0063	0140	275	40	195	35	85	3,0	3,0
12	0140	0075	0140	275	40	195	35	85	3,0	3,0
13	0140	0090	0140	275	40	195	35	85	3,0	3,0
14	0140	0110	0140	275	40	195	40	85	3,0	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
15	0140	0125	0140	275	40	195	40	85	3,0	3,0
16	160	50	160	320	45	230	25	95	3,0	3,0
17	0160	0063	0160	320	45	230	35	95	3,0	3,0
18	0160	0075	0160	320	45	230	35	95	3,0	3,0
19	0160	0090	0160	320	45	230	35	95	3,0	3,0
20	0160	0110	0160	320	45	230	40	95	3,0	3,0
21	0160	0125	0160	320	45	230	40	95	3,0	3,0
22	0160	0140	0160	320	45	230	40	95	3,0	3,0
23	0180	0050	0180	375	50	275	25	110	3,0	3,0
24	0180	0063	0180	375	50	275	35	110	3,0	3,0
25	0180	0075	0180	375	50	275	35	110	3,0	3,0
26	0180	0090	0180	375	50	275	35	110	3,0	3,0
27	0180	0110	0180	375	50	275	40	110	3,0	3,0
28	0180	0125	0180	375	50	275	40	110	3,0	3,0
29	0180	0140	0180	375	50	275	40	110	3,0	3,0
30	0180	0160	0180	375	50	275	40	110	3,0	3,0
31	0200	0050	0200	375	50	275	25	120	3,0	3,0
32	0200	0063	0200	375	50	275	35	120	3,0	3,0
33	0200	0075	0200	375	50	275	35	120	3,0	3,0
34	0200	0090	00200	375	50	275	35	120	3,0	3,0
35	0200	0110	0200	375	50	275	40	120	3,0	3,0
36	0200	0125	0200	375	50	275	40	120	3,0	3,0
37	0200	0140	0200	375	50	275	40	120	3,0	3,0
38	0200	0160	0200	375	50	275	45	120	3,0	3,0
39	0250	0050	0250	420	50	320	25	140	3,5	3,0
40	0250	0063	0250	420	50	320	35	140	3,5	3,0
41	0250	0075	0250	420	50	320	35	140	3,5	3,0
42	0250	0090	0250	420	50	320	35	140	3,5	3,0
43	0250	0110	0250	420	50	320	40	140	3,5	3,0
44	0250	0125	0250	420	50	320	40	140	3,5	3,0
45	0250	0140	0250	420	50	320	40	140	3,5	3,0
46	0250	0160	0250	420	50	320	45	140	3,5	3,0
47	0250	0180	0250	420	50	320	50	140	3,5	3,0
48	0250	0200	0250	420	50	320	50	140	3,5	3,0
50	0280	0110	0280	460	50	360	40	160	4,0	3,0
51	0280	0160	0280	460	50	360	45	160	4,0	3,0
53	0280	0200	0280	460	50	360	50	160	4,0	3,0
54	0280	0250	0280	460	50	360	50	160	4,0	3,5
55	0315	0110	0315	520	50	420	40	175	5,0	3,0
56	0315	0160	0315	520	50	420	45	175	5,0	3,0
57	0315	0200	0315	520	50	420	50	175	5,0	3,0
58	0315	0250	0315	520	50	420	50	175	5,0	3,5
59	0315	0280	0315	520	50	420	50	175	5,0	4,0
60	0355	0110	0355	595	50	495	40	200	5,0	3,0
61	0355	0160	0355	595	50	495	45	200	5,0	3,0
62	0355	0200	0355	595	50	495	50	200	5,0	3,0
63	0355	0250	0355	595	50	495	50	200	5,0	3,5
64	0355	0280	0355	595	50	495	50	200	5,0	4,0
65	0355	0315	0355	595	50	495	60	200	5,0	5,0
66	0400	0110	0400	610	60	490	40	220	6,0	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
67	0400	0160	0400	610	60	490	45	220	6,0	3,0
68	0400	0200	0400	610	60	490	50	220	6,0	3,0
69	0400	0250	0400	610	60	490	50	220	6,0	3,5
70	0400	0280	0400	610	60	490	50	220	6,0	4,0
71	0400	0315	0400	610	60	490	60	220	6,0	5,0
72	0400	0355	0400	610	60	490	60	220	6,0	5,0
73	0500	0110	0500	795	70	655	40	270	8,0	3,0
74	0500	0160	0500	795	70	655	45	270	8,0	3,0
75	0500	0200	0500	795	70	655	50	270	8,0	3,0
76	0500	0250	0500	795	70	655	50	270	8,0	3,5
77	0500	0280	0500	795	70	655	50	270	8,0	4,0
78	0500	0315	0500	795	70	655	60	270	8,0	5,0
79	0500	0355	0500	795	70	655	60	270	8,0	5,0
80	0500	0400	0500	795	70	655	60	270	8,0	6,0
81	0500	0450	0500	795	70	655	70	270	8,0	7,0

PE

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	3,0	3,0
2	0110	0063	0110	220	45	130	35	70	3,0	3,0
3	0110	0075	0110	220	45	130	35	70	3,0	3,0
4	0110	0090	0110	220	45	130	35	70	3,0	3,0
5	0125	0050	0125	275	45	185	25	78	3,0	3,0
6	0125	0063	0125	275	45	185	35	78	3,0	3,0
7	0125	0075	0125	275	45	185	35	78	3,0	3,0
8	0125	0090	0125	275	45	185	35	78	3,0	3,0
9	0125	0110	0125	275	45	185	40	78	3,0	3,0
10	0140	0050	0140	275	40	195	25	85	3,0	3,0
11	0140	0063	0140	275	40	195	35	85	3,0	3,0
12	0140	0075	0140	275	40	195	35	85	3,0	3,0
13	0140	0090	0140	275	40	195	35	85	3,0	3,0
14	0140	0110	0140	275	40	195	40	85	3,0	3,0
15	0140	0125	0140	275	40	195	40	85	3,0	3,0
16	160	50	160	320	45	230	25	95	3,0	3,0
17	0160	0063	0160	320	45	230	35	95	3,0	3,0
18	0160	0075	0160	320	45	230	35	95	3,0	3,0
19	0160	0090	0160	320	45	230	35	95	3,0	3,0
20	0160	0110	0160	320	45	230	40	95	3,0	3,0
21	0160	0125	0160	320	45	230	40	95	3,0	3,0
22	0160	0140	0160	320	45	230	40	95	3,0	3,0
23	0180	0050	0180	375	50	275	25	110	3,0	3,0
24	0180	0063	0180	375	50	275	35	110	3,0	3,0
25	0180	0075	0180	375	50	275	35	110	3,0	3,0
26	0180	0090	0180	375	50	275	35	110	3,0	3,0
27	0180	0110	0180	375	50	275	40	110	3,0	3,0
28	0180	0125	0180	375	50	275	40	110	3,0	3,0
29	0180	0140	0180	375	50	275	40	110	3,0	3,0
30	0180	0160	0180	375	50	275	40	110	3,0	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
31	0200	0050	0200	375	50	275	25	120	3,0	3,0
32	0200	0063	0200	375	50	275	35	120	3,0	3,0
33	0200	0075	0200	375	50	275	35	120	3,0	3,0
34	0200	0090	00200	375	50	275	35	120	3,0	3,0
35	0200	0110	0200	375	50	275	40	120	3,0	3,0
36	0200	0125	0200	375	50	275	40	120	3,0	3,0
37	0200	0140	0200	375	50	275	40	120	3,0	3,0
38	0200	0160	0200	375	50	275	45	120	3,0	3,0
39	0250	0050	0250	420	50	320	25	140	3,5	3,0
40	0250	0063	0250	420	50	320	35	140	3,5	3,0
41	0250	0075	0250	420	50	320	35	140	3,5	3,0
42	0250	0090	0250	420	50	320	35	140	3,5	3,0
43	0250	0110	0250	420	50	320	40	140	3,5	3,0
44	0250	0125	0250	420	50	320	40	140	3,5	3,0
45	0250	0140	0250	420	50	320	40	140	3,5	3,0
46	0250	0160	0250	420	50	320	45	140	3,5	3,0
47	0250	0180	0250	420	50	320	50	140	3,5	3,0
48	0250	0200	0250	420	50	320	50	140	3,5	3,0
50	0280	0110	0280	460	50	360	40	160	4,0	3,0
51	0280	0160	0280	460	50	360	45	160	4,0	3,0
53	0280	0200	0280	460	50	360	50	160	4,0	3,0
54	0280	0250	0280	460	50	360	50	160	4,0	3,5
55	0315	0110	0315	520	50	420	40	175	5,0	3,0
56	0315	0160	0315	520	50	420	45	175	5,0	3,0
57	0315	0200	0315	520	50	420	50	175	5,0	3,0
58	0315	0250	0315	520	50	420	50	175	5,0	3,5
59	0315	0280	0315	520	50	420	50	175	5,0	4,0
60	0355	0110	0355	595	50	495	40	200	5,0	3,0
61	0355	0160	0355	595	50	495	45	200	5,0	3,0
62	0355	0200	0355	595	50	495	50	200	5,0	3,0
63	0355	0250	0355	595	50	495	50	200	5,0	3,5
64	0355	0280	0355	595	50	495	50	200	5,0	4,0
65	0355	0315	0355	595	50	495	60	200	5,0	5,0
66	0400	0110	0400	610	60	490	40	220	6,0	3,0
67	0400	0160	0400	610	60	490	45	220	6,0	3,0
68	0400	0200	0400	610	60	490	50	220	6,0	3,0
69	0400	0250	0400	610	60	490	50	220	6,0	3,5
70	0400	0280	0400	610	60	490	50	220	6,0	4,0
71	0400	0315	0400	610	60	490	60	220	6,0	5,0
72	0400	0355	0400	610	60	490	60	220	6,0	5,0
73	0500	0110	0500	795	70	655	40	270	8,0	3,0
74	0500	0160	0500	795	70	655	45	270	8,0	3,0
75	0500	0200	0500	795	70	655	50	270	8,0	3,0
76	0500	0250	0500	795	70	655	50	270	8,0	3,5
77	0500	0280	0500	795	70	655	50	270	8,0	4,0
78	0500	0315	0500	795	70	655	60	270	8,0	5,0
79	0500	0355	0500	795	70	655	60	270	8,0	5,0
80	0500	0400	0500	795	70	655	60	270	8,0	6,0
81	0500	0450	0500	795	70	655	70	270	8,0	7,0

PPs-el

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	3,0	3,0
2	0110	0063	0110	220	45	130	35	70	3,0	3,0
3	0110	0075	0110	220	45	130	35	70	3,0	3,0
4	0110	0090	0110	220	45	130	35	70	3,0	3,0
5	0125	0050	0125	275	45	185	25	78	3,0	3,0
6	0125	0063	0125	275	45	185	35	78	3,0	3,0
7	0125	0075	0125	275	45	185	35	78	3,0	3,0
8	0125	0090	0125	275	45	185	35	78	3,0	3,0
9	0125	0110	0125	275	45	185	40	78	3,0	3,0
10	0140	0050	0140	275	40	195	25	85	3,0	3,0
11	0140	0063	0140	275	40	195	35	85	3,0	3,0
12	0140	0075	0140	275	40	195	35	85	3,0	3,0
13	0140	0090	0140	275	40	195	35	85	3,0	3,0
14	0140	0110	0140	275	40	195	40	85	3,0	3,0
15	0140	0125	0140	275	40	195	40	85	3,0	3,0
16	160	50	160	320	45	230	25	95	3,0	3,0
17	0160	0063	0160	320	45	230	35	95	3,0	3,0
18	0160	0075	0160	320	45	230	35	95	3,0	3,0
19	0160	0090	0160	320	45	230	35	95	3,0	3,0
20	0160	0110	0160	320	45	230	40	95	3,0	3,0
21	0160	0125	0160	320	45	230	40	95	3,0	3,0
22	0160	0140	0160	320	45	230	40	95	3,0	3,0
23	0180	0050	0180	375	50	275	25	110	3,0	3,0
24	0180	0063	0180	375	50	275	35	110	3,0	3,0
25	0180	0075	0180	375	50	275	35	110	3,0	3,0
26	0180	0090	0180	375	50	275	35	110	3,0	3,0
27	0180	0110	0180	375	50	275	40	110	3,0	3,0
28	0180	0125	0180	375	50	275	40	110	3,0	3,0
29	0180	0140	0180	375	50	275	40	110	3,0	3,0
30	0180	0160	0180	375	50	275	40	110	3,0	3,0
31	0200	0050	0200	375	50	275	25	120	3,0	3,0
32	0200	0063	0200	375	50	275	35	120	3,0	3,0
33	0200	0075	0200	375	50	275	35	120	3,0	3,0
34	0200	0090	00200	375	50	275	35	120	3,0	3,0
35	0200	0110	0200	375	50	275	40	120	3,0	3,0
36	0200	0125	0200	375	50	275	40	120	3,0	3,0
37	0200	0140	0200	375	50	275	40	120	3,0	3,0
38	0200	0160	0200	375	50	275	45	120	3,0	3,0
39	0250	0050	0250	420	50	320	25	140	3,5	3,0
40	0250	0063	0250	420	50	320	35	140	3,5	3,0
41	0250	0075	0250	420	50	320	35	140	3,5	3,0
42	0250	0090	0250	420	50	320	35	140	3,5	3,0
43	0250	0110	0250	420	50	320	40	140	3,5	3,0
44	0250	0125	0250	420	50	320	40	140	3,5	3,0
45	0250	0140	0250	420	50	320	40	140	3,5	3,0
46	0250	0160	0250	420	50	320	45	140	3,5	3,0
47	0250	0180	0250	420	50	320	50	140	3,5	3,0
48	0250	0200	0250	420	50	320	50	140	3,5	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
50	0280	0110	0280	460	50	360	40	160	4,0	3,0
51	0280	0160	0280	460	50	360	45	160	4,0	3,0
53	0280	0200	0280	460	50	360	50	160	4,0	3,0
54	0280	0250	0280	460	50	360	50	160	4,0	3,5
55	0315	0110	0315	520	50	420	40	175	5,0	3,0
56	0315	0160	0315	520	50	420	45	175	5,0	3,0
57	0315	0200	0315	520	50	420	50	175	5,0	3,0
58	0315	0250	0315	520	50	420	50	175	5,0	3,5
59	0315	0280	0315	520	50	420	50	175	5,0	4,0
60	0355	0110	0355	595	50	495	40	200	5,0	3,0
61	0355	0160	0355	595	50	495	45	200	5,0	3,0
62	0355	0200	0355	595	50	495	50	200	5,0	3,0
63	0355	0250	0355	595	50	495	50	200	5,0	3,5
64	0355	0280	0355	595	50	495	50	200	5,0	4,0
65	0355	0315	0355	595	50	495	60	200	5,0	5,0
66	0400	0110	0400	610	60	490	40	220	6,0	3,0
67	0400	0160	0400	610	60	490	45	220	6,0	3,0
68	0400	0200	0400	610	60	490	50	220	6,0	3,0
69	0400	0250	0400	610	60	490	50	220	6,0	3,5
70	0400	0280	0400	610	60	490	50	220	6,0	4,0
71	0400	0315	0400	610	60	490	60	220	6,0	5,0
72	0400	0355	0400	610	60	490	60	220	6,0	5,0
73	0500	0110	0500	795	70	655	40	270	8,0	3,0
74	0500	0160	0500	795	70	655	45	270	8,0	3,0
75	0500	0200	0500	795	70	655	50	270	8,0	3,0
76	0500	0250	0500	795	70	655	50	270	8,0	3,5
77	0500	0280	0500	795	70	655	50	270	8,0	4,0
78	0500	0315	0500	795	70	655	60	270	8,0	5,0
79	0500	0355	0500	795	70	655	60	270	8,0	5,0
80	0500	0400	0500	795	70	655	60	270	8,0	6,0
81	0500	0450	0500	795	70	655	70	270	8,0	7,0

PVDF

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	3,0	3,0
2	0110	0063	0110	220	45	130	35	70	3,0	3,0
3	0110	0075	0110	220	45	130	35	70	3,0	3,0
4	0110	0090	0110	220	45	130	35	70	3,0	3,0
5	0125	0050	0125	275	45	185	25	78	3,0	3,0
6	0125	0063	0125	275	45	185	35	78	3,0	3,0
7	0125	0075	0125	275	45	185	35	78	3,0	3,0
8	0125	0090	0125	275	45	185	35	78	3,0	3,0
9	0125	0110	0125	275	45	185	40	78	3,0	3,0
10	0140	0050	0140	275	40	195	25	85	3,0	3,0
11	0140	0063	0140	275	40	195	35	85	3,0	3,0
12	0140	0075	0140	275	40	195	35	85	3,0	3,0
13	0140	0090	0140	275	40	195	35	85	3,0	3,0
14	0140	0110	0140	275	40	195	40	85	3,0	3,0


#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
15	0140	0125	0140	275	40	195	40	85	3,0	3,0
16	160	50	160	320	45	230	25	95	3,0	3,0
17	0160	0063	0160	320	45	230	35	95	3,0	3,0
18	0160	0075	0160	320	45	230	35	95	3,0	3,0
19	0160	0090	0160	320	45	230	35	95	3,0	3,0
20	0160	0110	0160	320	45	230	40	95	3,0	3,0
21	0160	0125	0160	320	45	230	40	95	3,0	3,0
22	0160	0140	0160	320	45	230	40	95	3,0	3,0
23	0180	0050	0180	375	50	275	25	110	3,0	3,0
24	0180	0063	0180	375	50	275	35	110	3,0	3,0
25	0180	0075	0180	375	50	275	35	110	3,0	3,0
26	0180	0090	0180	375	50	275	35	110	3,0	3,0
27	0180	0110	0180	375	50	275	40	110	3,0	3,0
28	0180	0125	0180	375	50	275	40	110	3,0	3,0
29	0180	0140	0180	375	50	275	40	110	3,0	3,0
30	0180	0160	0180	375	50	275	40	110	3,0	3,0
31	0200	0050	0200	375	50	275	25	120	3,0	3,0
32	0200	0063	0200	375	50	275	35	120	3,0	3,0
33	0200	0075	0200	375	50	275	35	120	3,0	3,0
34	0200	0090	00200	375	50	275	35	120	3,0	3,0
35	0200	0110	0200	375	50	275	40	120	3,0	3,0
36	0200	0125	0200	375	50	275	40	120	3,0	3,0
37	0200	0140	0200	375	50	275	40	120	3,0	3,0
38	0200	0160	0200	375	50	275	45	120	3,0	3,0
39	0250	0050	0250	420	50	320	25	140	3,5	3,0
40	0250	0063	0250	420	50	320	35	140	3,5	3,0
41	0250	0075	0250	420	50	320	35	140	3,5	3,0
42	0250	0090	0250	420	50	320	35	140	3,5	3,0
43	0250	0110	0250	420	50	320	40	140	3,5	3,0
44	0250	0125	0250	420	50	320	40	140	3,5	3,0
45	0250	0140	0250	420	50	320	40	140	3,5	3,0
46	0250	0160	0250	420	50	320	45	140	3,5	3,0
47	0250	0180	0250	420	50	320	50	140	3,5	3,0
48	0250	0200	0250	420	50	320	50	140	3,5	3,0
50	0280	0110	0280	460	50	360	40	160	4,0	3,0
51	0280	0160	0280	460	50	360	45	160	4,0	3,0
53	0280	0200	0280	460	50	360	50	160	4,0	3,0
54	0280	0250	0280	460	50	360	50	160	4,0	3,5
55	0315	0110	0315	520	50	420	40	175	5,0	3,0
56	0315	0160	0315	520	50	420	45	175	5,0	3,0
57	0315	0200	0315	520	50	420	50	175	5,0	3,0
58	0315	0250	0315	520	50	420	50	175	5,0	3,5
59	0315	0280	0315	520	50	420	50	175	5,0	4,0
60	0355	0110	0355	595	50	495	40	200	5,0	3,0
61	0355	0160	0355	595	50	495	45	200	5,0	3,0
62	0355	0200	0355	595	50	495	50	200	5,0	3,0
63	0355	0250	0355	595	50	495	50	200	5,0	3,5
64	0355	0280	0355	595	50	495	50	200	5,0	4,0
65	0355	0315	0355	595	50	495	60	200	5,0	5,0
66	0400	0110	0400	610	60	490	40	220	6,0	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
67	0400	0160	0400	610	60	490	45	220	6,0	3,0
68	0400	0200	0400	610	60	490	50	220	6,0	3,0
69	0400	0250	0400	610	60	490	50	220	6,0	3,5
70	0400	0280	0400	610	60	490	50	220	6,0	4,0
71	0400	0315	0400	610	60	490	60	220	6,0	5,0
72	0400	0355	0400	610	60	490	60	220	6,0	5,0
73	0500	0110	0500	795	70	655	40	270	8,0	3,0
74	0500	0160	0500	795	70	655	45	270	8,0	3,0
75	0500	0200	0500	795	70	655	50	270	8,0	3,0
76	0500	0250	0500	795	70	655	50	270	8,0	3,5
77	0500	0280	0500	795	70	655	50	270	8,0	4,0
78	0500	0315	0500	795	70	655	60	270	8,0	5,0
79	0500	0355	0500	795	70	655	60	270	8,0	5,0
80	0500	0400	0500	795	70	655	60	270	8,0	6,0
81	0500	0450	0500	795	70	655	70	270	8,0	7,0

PVC-UV

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
1	0110	0050	0110	220	45	130	25	70	1,8	3,0
2	0110	0063	0110	220	45	130	35	70	1,8	3,0
3	0110	0075	0110	220	45	130	35	70	1,8	3,0
4	0110	0090	0110	220	45	130	35	70	1,8	3,0
5	0125	0050	0125	275	45	185	25	78	1,8	3,0
6	0125	0063	0125	275	45	185	35	78	1,8	3,0
7	0125	0075	0125	275	45	185	35	78	1,8	3,0
8	0125	0090	0125	275	45	185	35	78	1,8	3,0
9	0125	0110	0125	275	45	185	40	78	1,8	3,0
10	0140	0050	0140	275	40	195	25	85	1,8	3,0
11	0140	0063	0140	275	40	195	35	85	1,8	3,0
12	0140	0075	0140	275	40	195	35	85	1,8	3,0
13	0140	0090	0140	275	40	195	35	85	1,8	3,0
14	0140	0110	0140	275	40	195	40	85	1,8	3,0
15	0140	0125	0140	275	40	195	40	85	1,8	3,0
16	160	50	160	320	45	230	25	95	2,5	3,0
17	0160	0063	0160	320	45	230	35	95	2,5	3,0
18	0160	0075	0160	320	45	230	35	95	2,5	3,0
19	0160	0090	0160	320	45	230	35	95	2,5	3,0
20	0160	0110	0160	320	45	230	40	95	2,5	3,0
21	0160	0125	0160	320	45	230	40	95	2,5	3,0
22	0160	0140	0160	320	45	230	40	95	2,5	3,0
23	0180	0050	0180	375	50	275	25	110	2,5	3,0
24	0180	0063	0180	375	50	275	35	110	2,5	3,0
25	0180	0075	0180	375	50	275	35	110	2,5	3,0
26	0180	0090	0180	375	50	275	35	110	2,5	3,0
27	0180	0110	0180	375	50	275	40	110	2,5	3,0
28	0180	0125	0180	375	50	275	40	110	2,5	3,0
29	0180	0140	0180	375	50	275	40	110	2,5	3,0
30	0180	0160	0180	375	50	275	40	110	2,5	3,0

#	ød	ød1	ød	L	L1	L2	L3	H	s	s1
31	0200	0050	0200	375	50	275	25	120	2,5	3,0
32	0200	0063	0200	375	50	275	35	120	2,5	3,0
33	0200	0075	0200	375	50	275	35	120	2,5	3,0
34	0200	0090	00200	375	50	275	35	120	2,5	3,0
35	0200	0110	0200	375	50	275	40	120	2,5	3,0
36	0200	0125	0200	375	50	275	40	120	2,5	3,0
37	0200	0140	0200	375	50	275	40	120	2,5	3,0
38	0200	0160	0200	375	50	275	45	120	2,5	3,0
39	0250	0050	0250	420	50	320	25	140	2,9	3,0
40	0250	0063	0250	420	50	320	35	140	2,9	3,0
41	0250	0075	0250	420	50	320	35	140	2,9	3,0
42	0250	0090	0250	420	50	320	35	140	2,9	3,0
43	0250	0110	0250	420	50	320	40	140	2,9	3,0
44	0250	0125	0250	420	50	320	40	140	2,9	3,0
45	0250	0140	0250	420	50	320	40	140	2,9	3,0
46	0250	0160	0250	420	50	320	45	140	2,9	3,0
47	0250	0180	0250	420	50	320	50	140	2,9	3,0
48	0250	0200	0250	420	50	320	50	140	2,9	3,0
50	0280	0110	0280	460	50	360	40	160	2,9	3,0
51	0280	0160	0280	460	50	360	45	160	2,9	3,0
53	0280	0200	0280	460	50	360	50	160	2,9	3,0
54	0280	0250	0280	460	50	360	50	160	2,9	3,0
55	0315	0110	0315	520	50	420	40	175	2,9	3,0
56	0315	0160	0315	520	50	420	45	175	2,9	3,0
57	0315	0200	0315	520	50	420	50	175	2,9	3,0
58	0315	0250	0315	520	50	420	50	175	2,9	3,0
59	0315	0280	0315	520	50	420	50	175	2,9	3,0
60	0355	0110	0355	595	50	495	40	200	2,9	3,0
61	0355	0160	0355	595	50	495	45	200	2,9	3,0
62	0355	0200	0355	595	50	495	50	200	2,9	3,0
63	0355	0250	0355	595	50	495	50	200	2,9	3,0
64	0355	0280	0355	595	50	495	50	200	2,9	3,0
65	0355	0315	0355	595	50	495	60	200	2,9	3,0
66	0400	0110	0400	610	60	490	40	220	3,2	3,0
67	0400	0160	0400	610	60	490	45	220	3,2	3,0
68	0400	0200	0400	610	60	490	50	220	3,2	3,0
69	0400	0250	0400	610	60	490	50	220	3,2	3,0
70	0400	0280	0400	610	60	490	50	220	3,2	3,0
71	0400	0315	0400	610	60	490	60	220	3,2	3,0
72	0400	0355	0400	610	60	490	60	220	3,2	3,0
73	0500	0110	0500	795	70	655	40	270	5,6	3,0
74	0500	0160	0500	795	70	655	45	270	5,6	3,0
75	0500	0200	0500	795	70	655	50	270	5,6	3,0
76	0500	0250	0500	795	70	655	50	270	5,6	3,0
77	0500	0280	0500	795	70	655	50	270	5,6	3,0
78	0500	0315	0500	795	70	655	60	270	5,6	3,0
79	0500	0355	0500	795	70	655	60	270	5,6	4,0
80	0500	0400	0500	795	70	655	60	270	5,6	4,0
81	0500	0450	0500	795	70	655	70	270	5,6	4,0



Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

Farprosys, s.r.o.
email: info@farprosys.com
tel. +420 728 757 770
www.atexventilatory.cz