

## Pipe parts, socket connection

### Popis

-

### PVC

#	d	L	L1	L2	s	kg
1	0075m	*	*	*	*	*
2	0090m	*	*	*	*	*
3	0110m	*	*	*	*	*
4	0125m	*	*	*	*	*
5	0140m	*	*	*	*	*
6	0160m	*	*	*	*	*
7	0180m	*	*	*	*	*
8	0200m	*	*	*	*	*
9	0225m	*	*	*	*	*
10	0250m	*	*	*	*	*
11	0280m	*	*	*	*	*
12	0315m	*	*	*	*	*
13	0355m	*	*	*	*	*
14	0400m	*	*	*	*	*

### PPs

#	d	L	L1	L2	s	kg
1	0075m	200	35	130	3,0	-
2	0090m	220	35	150	3,0	-
3	0110m	225	40	145	3,0	-
4	0125m	270	40	190	3,0	-
5	0140m	270	40	190	3,0	-
6	0160m	325	40	245	3,0	-
7	0180m	375	50	275	3,0	-
8	0200m	380	50	280	3,0	-
9	0225m	420	50	320	3,5	-
10	0250m	410	50	310	3,5	-
11	0280m	460	50	360	4,0	-
12	0315m	515	50	415	5,0	-
13	0355m	560	50	460	5,0	-
14	0400m	610	60	490	6,0	-

## PP

#	d	L	L1	L2	s	kg
1	0075m	200	35	130	3,0	-
2	0090m	220	35	150	3,0	-
3	0110m	225	40	145	3,0	-
4	0125m	270	40	190	3,0	-
5	0140m	270	40	190	3,0	-
6	0160m	325	40	245	3,0	-
7	0180m	375	50	275	3,0	-
8	0200m	380	50	280	3,0	-
9	0225m	420	50	320	3,5	-
10	0250m	410	50	310	3,5	-
11	0280m	460	50	360	4,0	-
12	0315m	515	50	415	5,0	-
13	0355m	560	50	460	5,0	-
14	0400m	610	60	490	6,0	-

## PE

#	d	L	L1	L2	s	kg
1	0075m	200	35	130	3,0	-
2	0090m	220	35	150	3,0	-
3	0110m	225	40	145	3,0	-
4	0125m	270	40	190	3,0	-
5	0140m	270	40	190	3,0	-
6	0160m	325	40	245	3,0	-
7	0180m	375	50	275	3,0	-
8	0200m	380	50	280	3,0	-
9	0225m	420	50	320	3,5	-
10	0250m	410	50	310	3,5	-
11	0280m	460	50	360	4,0	-
12	0315m	515	50	415	5,0	-
13	0355m	560	50	460	5,0	-
14	0400m	610	60	490	6,0	-

## PPs-el

#	d	L	L1	L2	s	kg
1	0075m	200	35	130	3,0	-
2	0090m	220	35	150	3,0	-
3	0110m	225	40	145	3,0	-
4	0125m	270	40	190	3,0	-
5	0140m	270	40	190	3,0	-
6	0160m	325	40	245	3,0	-
7	0180m	375	50	275	3,0	-
8	0200m	380	50	280	3,0	-
9	0225m	420	50	320	3,5	-
10	0250m	410	50	310	3,5	-
11	0280m	460	50	360	4,0	-
12	0315m	515	50	415	5,0	-
13	0355m	560	50	460	5,0	-
14	0400m	610	60	490	6,0	-

## PVDF

#	d	L	L1	L2	s	kg
1	0075m	200	35	130	3,0	-
2	0090m	220	35	150	3,0	-
3	0110m	225	40	145	3,0	-
4	0125m	270	40	190	3,0	-
5	0140m	270	40	190	3,0	-
6	0160m	325	40	245	3,0	-
7	0180m	375	50	275	3,0	-
8	0200m	380	50	280	3,0	-
9	0225m	420	50	320	3,5	-
10	0250m	410	50	310	3,5	-
11	0280m	460	50	360	4,0	-
12	0315m	515	50	415	5,0	-
13	0355m	560	50	460	5,0	-
14	0400m	610	60	490	6,0	-

## PVC-UV

#	d	L	L1	L2	s	kg
1	0075m	*	*	*	*	*
2	0090m	*	*	*	*	*
3	0110m	*	*	*	*	*
4	0125m	*	*	*	*	*
5	0140m	*	*	*	*	*
6	0160m	*	*	*	*	*
7	0180m	*	*	*	*	*
8	0200m	*	*	*	*	*
9	0225m	*	*	*	*	*
10	0250m	*	*	*	*	*
11	0280m	*	*	*	*	*
12	0315m	*	*	*	*	*
13	0355m	*	*	*	*	*
14	0400m	*	*	*	*	*

---

Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.  
Přeloženo z originálu výrobce.

Farprosys, s.r.o.  
email: [info@farprosys.com](mailto:info@farprosys.com)  
tel. +420 728 757 770  
[www.atexventilatory.cz](http://www.atexventilatory.cz)