

Pipe parts, socket connection

Popis

-

PVC

| # | d | L | L1 | L2 | s | kg |
|----|-------|---|----|----|---|----|
| 1 | 0075m | * | * | * | * | * |
| 2 | 0090m | * | * | * | * | * |
| 3 | 0110m | * | * | * | * | * |
| 4 | 0125m | * | * | * | * | * |
| 5 | 0140m | * | * | * | * | * |
| 6 | 0160m | * | * | * | * | * |
| 7 | 0180m | * | * | * | * | * |
| 8 | 0200m | * | * | * | * | * |
| 9 | 0225m | * | * | * | * | * |
| 10 | 0250m | * | * | * | * | * |
| 11 | 0280m | * | * | * | * | * |
| 12 | 0315m | * | * | * | * | * |
| 13 | 0355m | * | * | * | * | * |
| 14 | 0400m | * | * | * | * | * |

PPs

| # | d | L | L1 | L2 | s | kg |
|----|-------|-----|----|-----|-----|----|
| 1 | 0075m | 200 | 35 | 130 | 3,0 | - |
| 2 | 0090m | 220 | 35 | 150 | 3,0 | - |
| 3 | 0110m | 225 | 40 | 145 | 3,0 | - |
| 4 | 0125m | 270 | 40 | 190 | 3,0 | - |
| 5 | 0140m | 270 | 40 | 190 | 3,0 | - |
| 6 | 0160m | 325 | 40 | 245 | 3,0 | - |
| 7 | 0180m | 375 | 50 | 275 | 3,0 | - |
| 8 | 0200m | 380 | 50 | 280 | 3,0 | - |
| 9 | 0225m | 420 | 50 | 320 | 3,5 | - |
| 10 | 0250m | 410 | 50 | 310 | 3,5 | - |
| 11 | 0280m | 460 | 50 | 360 | 4,0 | - |
| 12 | 0315m | 515 | 50 | 415 | 5,0 | - |
| 13 | 0355m | 560 | 50 | 460 | 5,0 | - |
| 14 | 0400m | 610 | 60 | 490 | 6,0 | - |

PP

| # | d | L | L1 | L2 | s | kg |
|----|-------|-----|----|-----|-----|----|
| 1 | 0075m | 200 | 35 | 130 | 3,0 | - |
| 2 | 0090m | 220 | 35 | 150 | 3,0 | - |
| 3 | 0110m | 225 | 40 | 145 | 3,0 | - |
| 4 | 0125m | 270 | 40 | 190 | 3,0 | - |
| 5 | 0140m | 270 | 40 | 190 | 3,0 | - |
| 6 | 0160m | 325 | 40 | 245 | 3,0 | - |
| 7 | 0180m | 375 | 50 | 275 | 3,0 | - |
| 8 | 0200m | 380 | 50 | 280 | 3,0 | - |
| 9 | 0225m | 420 | 50 | 320 | 3,5 | - |
| 10 | 0250m | 410 | 50 | 310 | 3,5 | - |
| 11 | 0280m | 460 | 50 | 360 | 4,0 | - |
| 12 | 0315m | 515 | 50 | 415 | 5,0 | - |
| 13 | 0355m | 560 | 50 | 460 | 5,0 | - |
| 14 | 0400m | 610 | 60 | 490 | 6,0 | - |

PE

| # | d | L | L1 | L2 | s | kg |
|----|-------|-----|----|-----|-----|----|
| 1 | 0075m | 200 | 35 | 130 | 3,0 | - |
| 2 | 0090m | 220 | 35 | 150 | 3,0 | - |
| 3 | 0110m | 225 | 40 | 145 | 3,0 | - |
| 4 | 0125m | 270 | 40 | 190 | 3,0 | - |
| 5 | 0140m | 270 | 40 | 190 | 3,0 | - |
| 6 | 0160m | 325 | 40 | 245 | 3,0 | - |
| 7 | 0180m | 375 | 50 | 275 | 3,0 | - |
| 8 | 0200m | 380 | 50 | 280 | 3,0 | - |
| 9 | 0225m | 420 | 50 | 320 | 3,5 | - |
| 10 | 0250m | 410 | 50 | 310 | 3,5 | - |
| 11 | 0280m | 460 | 50 | 360 | 4,0 | - |
| 12 | 0315m | 515 | 50 | 415 | 5,0 | - |
| 13 | 0355m | 560 | 50 | 460 | 5,0 | - |
| 14 | 0400m | 610 | 60 | 490 | 6,0 | - |

PPs-el

| # | d | L | L1 | L2 | s | kg |
|----|-------|-----|----|-----|-----|----|
| 1 | 0075m | 200 | 35 | 130 | 3,0 | - |
| 2 | 0090m | 220 | 35 | 150 | 3,0 | - |
| 3 | 0110m | 225 | 40 | 145 | 3,0 | - |
| 4 | 0125m | 270 | 40 | 190 | 3,0 | - |
| 5 | 0140m | 270 | 40 | 190 | 3,0 | - |
| 6 | 0160m | 325 | 40 | 245 | 3,0 | - |
| 7 | 0180m | 375 | 50 | 275 | 3,0 | - |
| 8 | 0200m | 380 | 50 | 280 | 3,0 | - |
| 9 | 0225m | 420 | 50 | 320 | 3,5 | - |
| 10 | 0250m | 410 | 50 | 310 | 3,5 | - |
| 11 | 0280m | 460 | 50 | 360 | 4,0 | - |
| 12 | 0315m | 515 | 50 | 415 | 5,0 | - |
| 13 | 0355m | 560 | 50 | 460 | 5,0 | - |
| 14 | 0400m | 610 | 60 | 490 | 6,0 | - |

PVDF

| # | d | L | L1 | L2 | s | kg |
|----|-------|-----|----|-----|-----|----|
| 1 | 0075m | 200 | 35 | 130 | 3,0 | - |
| 2 | 0090m | 220 | 35 | 150 | 3,0 | - |
| 3 | 0110m | 225 | 40 | 145 | 3,0 | - |
| 4 | 0125m | 270 | 40 | 190 | 3,0 | - |
| 5 | 0140m | 270 | 40 | 190 | 3,0 | - |
| 6 | 0160m | 325 | 40 | 245 | 3,0 | - |
| 7 | 0180m | 375 | 50 | 275 | 3,0 | - |
| 8 | 0200m | 380 | 50 | 280 | 3,0 | - |
| 9 | 0225m | 420 | 50 | 320 | 3,5 | - |
| 10 | 0250m | 410 | 50 | 310 | 3,5 | - |
| 11 | 0280m | 460 | 50 | 360 | 4,0 | - |
| 12 | 0315m | 515 | 50 | 415 | 5,0 | - |
| 13 | 0355m | 560 | 50 | 460 | 5,0 | - |
| 14 | 0400m | 610 | 60 | 490 | 6,0 | - |

PVC-UV

| # | d | L | L1 | L2 | s | kg |
|----|-------|---|----|----|---|----|
| 1 | 0075m | * | * | * | * | * |
| 2 | 0090m | * | * | * | * | * |
| 3 | 0110m | * | * | * | * | * |
| 4 | 0125m | * | * | * | * | * |
| 5 | 0140m | * | * | * | * | * |
| 6 | 0160m | * | * | * | * | * |
| 7 | 0180m | * | * | * | * | * |
| 8 | 0200m | * | * | * | * | * |
| 9 | 0225m | * | * | * | * | * |
| 10 | 0250m | * | * | * | * | * |
| 11 | 0280m | * | * | * | * | * |
| 12 | 0315m | * | * | * | * | * |
| 13 | 0355m | * | * | * | * | * |
| 14 | 0400m | * | * | * | * | * |

Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

Farprosys, s.r.o.
email: info@farprosys.com
tel. +420 728 757 770
www.atexventilatory.cz