

Volume control dampers standard with console for servomotor

Popis

for electric or pneumatic actuator

PVC

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	54	37	3,0	1,0
2	0063m	130	35	60	60	44	3,0	1,1
3	0075m	130	35	60	66	50	3,0	1,2
4	0090m	130	35	60	74	57	3,0	1,3
5	0110m	150	40	70	84	67	3,0	1,4
6	0125m	150	40	70	92	81	3,0	1,5
7	0140m	150	40	70	99	88	3,0	1,8
8	0160m	150	40	70	109	98	3,0	2,1
9	0180m	170	50	70	119	108	3,0	2,2
10	0200m	170	50	70	129	118	3,0	2,4
11	0225m	170	50	70	141	131	3,0	2,5
12	0250m	170	50	70	154	145	3,0	3,3
13	0280m	170	50	70	169	160	3,0	3,8
14	0315m	170	50	70	187	178	3,0	4,5
15	0355m	175	50	75	209	213	4,0	5,2
16	0400m	200	60	80	231	235	4,0	5,9

PPs

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	53	37	3,0	0,5
2	0063m	130	35	60	60	45	3,0	0,5
3	0075m	130	35	60	66	50	3,0	0,8
4	0090m	130	35	60	73	57	3,0	0,9
5	0110m	150	40	70	83	67	3,0	1,0
6	0125m	150	40	70	91	81	3,0	1,1
7	0140m	150	40	70	98	89	3,0	1,2
8	0160m	150	40	70	108	99	3,0	1,3
9	0180m	170	50	70	118	109	3,0	1,4
10	0200m	170	50	70	128	119	3,0	1,5
11	0225m	170	50	70	141	131	3,0	1,7
12	0250m	170	50	70	153	144	3,0	2,1
13	0280m	170	50	70	168	159	3,0	2,3
14	0315m	170	50	70	186	176	3,0	3,0
15	0355m	175	50	75	207	198	4,0	3,8
16	0400m	180	50	80	229	220	4,0	4,5

PP

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	53	37	3,0	0,5
2	0063m	130	35	60	60	45	3,0	0,5
3	0075m	130	35	60	66	50	3,0	0,8
4	0090m	130	35	60	73	57	3,0	0,9
5	0110m	150	40	70	83	67	3,0	1,0
6	0125m	150	40	70	91	81	3,0	1,1
7	0140m	150	40	70	98	89	3,0	1,2
8	0160m	150	40	70	108	99	3,0	1,3
9	0180m	170	50	70	118	109	3,0	1,4
10	0200m	170	50	70	128	119	3,0	1,5
11	0225m	170	50	70	141	131	3,0	1,7
12	0250m	170	50	70	153	144	3,0	2,1
13	0280m	170	50	70	168	159	3,0	2,3
14	0315m	170	50	70	186	176	3,0	3,0
15	0355m	175	50	75	207	198	4,0	3,8
16	0400m	180	50	80	229	220	4,0	4,5

PE

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	53	37	3,0	0,5
2	0063m	130	35	60	60	45	3,0	0,5
3	0075m	130	35	60	66	50	3,0	0,8
4	0090m	130	35	60	73	57	3,0	0,9
5	0110m	150	40	70	83	67	3,0	1,0
6	0125m	150	40	70	91	81	3,0	1,1
7	0140m	150	40	70	98	89	3,0	1,2
8	0160m	150	40	70	108	99	3,0	1,3
9	0180m	170	50	70	118	109	3,0	1,4
10	0200m	170	50	70	128	119	3,0	1,5
11	0225m	170	50	70	141	131	3,0	1,7
12	0250m	170	50	70	153	144	3,0	2,1
13	0280m	170	50	70	168	159	3,0	2,3
14	0315m	170	50	70	186	176	3,0	3,0
15	0355m	175	50	75	207	198	4,0	3,8
16	0400m	180	50	80	229	220	4,0	4,5

PPs-el

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	53	37	3,0	0,5
2	0063m	130	35	60	60	45	3,0	0,5
3	0075m	130	35	60	66	50	3,0	0,8
4	0090m	130	35	60	73	57	3,0	0,9
5	0110m	150	40	70	83	67	3,0	1,0
6	0125m	150	40	70	91	81	3,0	1,1
7	0140m	150	40	70	98	89	3,0	1,2
8	0160m	150	40	70	108	99	3,0	1,3
9	0180m	170	50	70	118	109	3,0	1,4
10	0200m	170	50	70	128	119	3,0	1,5
11	0225m	170	50	70	141	131	3,0	1,7
12	0250m	170	50	70	153	144	3,0	2,1
13	0280m	170	50	70	168	159	3,0	2,3
14	0315m	170	50	70	186	176	3,0	3,0
15	0355m	175	50	75	207	198	4,0	3,8
16	0400m	180	50	80	229	220	4,0	4,5

PVDF

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	53	37	3,0	0,5
2	0063m	130	35	60	60	45	3,0	0,5
3	0075m	130	35	60	66	50	3,0	0,8
4	0090m	130	35	60	73	57	3,0	0,9
5	0110m	150	40	70	83	67	3,0	1,0
6	0125m	150	40	70	91	81	3,0	1,1
7	0140m	150	40	70	98	89	3,0	1,2
8	0160m	150	40	70	108	99	3,0	1,3
9	0180m	170	50	70	118	109	3,0	1,4
10	0200m	170	50	70	128	119	3,0	1,5
11	0225m	170	50	70	141	131	3,0	1,7
12	0250m	170	50	70	153	144	3,0	2,1
13	0280m	170	50	70	168	159	3,0	2,3
14	0315m	170	50	70	186	176	3,0	3,0
15	0355m	175	50	75	207	198	4,0	3,8
16	0400m	180	50	80	229	220	4,0	4,5

PVC-UV

#	d	L	L1	L2	H1	H2	s	kg
1	0050m	130	35	60	54	37	3,0	1,0
2	0063m	130	35	60	60	44	3,0	1,1
3	0075m	130	35	60	66	50	3,0	1,2
4	0090m	130	35	60	74	57	3,0	1,3
5	0110m	150	40	70	84	67	3,0	1,4
6	0125m	150	40	70	92	81	3,0	1,5
7	0140m	150	40	70	99	88	3,0	1,8
8	0160m	150	40	70	109	98	3,0	2,1
9	0180m	170	50	70	119	108	3,0	2,2
10	0200m	170	50	70	129	118	3,0	2,4
11	0225m	170	50	70	141	131	3,0	2,5
12	0250m	170	50	70	154	145	3,0	3,3
13	0280m	170	50	70	169	160	3,0	3,8
14	0315m	170	50	70	187	178	3,0	4,5
15	0355m	175	50	75	209	213	4,0	5,2
16	0400m	200	60	80	231	235	4,0	5,9

Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

Farprosys, s.r.o.
email: info@farprosys.com
tel. +420 728 757 770
www.atexventilatory.cz