

Volume control dampers standard with console for servomotor

Popis

for electric or pneumatic actuator

PVC

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 54 | 37 | 3,0 | 1,0 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 44 | 3,0 | 1,1 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 1,2 |
| 4 | 0090m | 130 | 35 | 60 | 74 | 57 | 3,0 | 1,3 |
| 5 | 0110m | 150 | 40 | 70 | 84 | 67 | 3,0 | 1,4 |
| 6 | 0125m | 150 | 40 | 70 | 92 | 81 | 3,0 | 1,5 |
| 7 | 0140m | 150 | 40 | 70 | 99 | 88 | 3,0 | 1,8 |
| 8 | 0160m | 150 | 40 | 70 | 109 | 98 | 3,0 | 2,1 |
| 9 | 0180m | 170 | 50 | 70 | 119 | 108 | 3,0 | 2,2 |
| 10 | 0200m | 170 | 50 | 70 | 129 | 118 | 3,0 | 2,4 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 2,5 |
| 12 | 0250m | 170 | 50 | 70 | 154 | 145 | 3,0 | 3,3 |
| 13 | 0280m | 170 | 50 | 70 | 169 | 160 | 3,0 | 3,8 |
| 14 | 0315m | 170 | 50 | 70 | 187 | 178 | 3,0 | 4,5 |
| 15 | 0355m | 175 | 50 | 75 | 209 | 213 | 4,0 | 5,2 |
| 16 | 0400m | 200 | 60 | 80 | 231 | 235 | 4,0 | 5,9 |

PPs

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 53 | 37 | 3,0 | 0,5 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 45 | 3,0 | 0,5 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 0,8 |
| 4 | 0090m | 130 | 35 | 60 | 73 | 57 | 3,0 | 0,9 |
| 5 | 0110m | 150 | 40 | 70 | 83 | 67 | 3,0 | 1,0 |
| 6 | 0125m | 150 | 40 | 70 | 91 | 81 | 3,0 | 1,1 |
| 7 | 0140m | 150 | 40 | 70 | 98 | 89 | 3,0 | 1,2 |
| 8 | 0160m | 150 | 40 | 70 | 108 | 99 | 3,0 | 1,3 |
| 9 | 0180m | 170 | 50 | 70 | 118 | 109 | 3,0 | 1,4 |
| 10 | 0200m | 170 | 50 | 70 | 128 | 119 | 3,0 | 1,5 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 1,7 |
| 12 | 0250m | 170 | 50 | 70 | 153 | 144 | 3,0 | 2,1 |
| 13 | 0280m | 170 | 50 | 70 | 168 | 159 | 3,0 | 2,3 |
| 14 | 0315m | 170 | 50 | 70 | 186 | 176 | 3,0 | 3,0 |
| 15 | 0355m | 175 | 50 | 75 | 207 | 198 | 4,0 | 3,8 |
| 16 | 0400m | 180 | 50 | 80 | 229 | 220 | 4,0 | 4,5 |

PP

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 53 | 37 | 3,0 | 0,5 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 45 | 3,0 | 0,5 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 0,8 |
| 4 | 0090m | 130 | 35 | 60 | 73 | 57 | 3,0 | 0,9 |
| 5 | 0110m | 150 | 40 | 70 | 83 | 67 | 3,0 | 1,0 |
| 6 | 0125m | 150 | 40 | 70 | 91 | 81 | 3,0 | 1,1 |
| 7 | 0140m | 150 | 40 | 70 | 98 | 89 | 3,0 | 1,2 |
| 8 | 0160m | 150 | 40 | 70 | 108 | 99 | 3,0 | 1,3 |
| 9 | 0180m | 170 | 50 | 70 | 118 | 109 | 3,0 | 1,4 |
| 10 | 0200m | 170 | 50 | 70 | 128 | 119 | 3,0 | 1,5 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 1,7 |
| 12 | 0250m | 170 | 50 | 70 | 153 | 144 | 3,0 | 2,1 |
| 13 | 0280m | 170 | 50 | 70 | 168 | 159 | 3,0 | 2,3 |
| 14 | 0315m | 170 | 50 | 70 | 186 | 176 | 3,0 | 3,0 |
| 15 | 0355m | 175 | 50 | 75 | 207 | 198 | 4,0 | 3,8 |
| 16 | 0400m | 180 | 50 | 80 | 229 | 220 | 4,0 | 4,5 |

PE

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 53 | 37 | 3,0 | 0,5 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 45 | 3,0 | 0,5 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 0,8 |
| 4 | 0090m | 130 | 35 | 60 | 73 | 57 | 3,0 | 0,9 |
| 5 | 0110m | 150 | 40 | 70 | 83 | 67 | 3,0 | 1,0 |
| 6 | 0125m | 150 | 40 | 70 | 91 | 81 | 3,0 | 1,1 |
| 7 | 0140m | 150 | 40 | 70 | 98 | 89 | 3,0 | 1,2 |
| 8 | 0160m | 150 | 40 | 70 | 108 | 99 | 3,0 | 1,3 |
| 9 | 0180m | 170 | 50 | 70 | 118 | 109 | 3,0 | 1,4 |
| 10 | 0200m | 170 | 50 | 70 | 128 | 119 | 3,0 | 1,5 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 1,7 |
| 12 | 0250m | 170 | 50 | 70 | 153 | 144 | 3,0 | 2,1 |
| 13 | 0280m | 170 | 50 | 70 | 168 | 159 | 3,0 | 2,3 |
| 14 | 0315m | 170 | 50 | 70 | 186 | 176 | 3,0 | 3,0 |
| 15 | 0355m | 175 | 50 | 75 | 207 | 198 | 4,0 | 3,8 |
| 16 | 0400m | 180 | 50 | 80 | 229 | 220 | 4,0 | 4,5 |

PPs-el

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 53 | 37 | 3,0 | 0,5 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 45 | 3,0 | 0,5 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 0,8 |
| 4 | 0090m | 130 | 35 | 60 | 73 | 57 | 3,0 | 0,9 |
| 5 | 0110m | 150 | 40 | 70 | 83 | 67 | 3,0 | 1,0 |
| 6 | 0125m | 150 | 40 | 70 | 91 | 81 | 3,0 | 1,1 |
| 7 | 0140m | 150 | 40 | 70 | 98 | 89 | 3,0 | 1,2 |
| 8 | 0160m | 150 | 40 | 70 | 108 | 99 | 3,0 | 1,3 |
| 9 | 0180m | 170 | 50 | 70 | 118 | 109 | 3,0 | 1,4 |
| 10 | 0200m | 170 | 50 | 70 | 128 | 119 | 3,0 | 1,5 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 1,7 |
| 12 | 0250m | 170 | 50 | 70 | 153 | 144 | 3,0 | 2,1 |
| 13 | 0280m | 170 | 50 | 70 | 168 | 159 | 3,0 | 2,3 |
| 14 | 0315m | 170 | 50 | 70 | 186 | 176 | 3,0 | 3,0 |
| 15 | 0355m | 175 | 50 | 75 | 207 | 198 | 4,0 | 3,8 |
| 16 | 0400m | 180 | 50 | 80 | 229 | 220 | 4,0 | 4,5 |

PVDF

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 53 | 37 | 3,0 | 0,5 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 45 | 3,0 | 0,5 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 0,8 |
| 4 | 0090m | 130 | 35 | 60 | 73 | 57 | 3,0 | 0,9 |
| 5 | 0110m | 150 | 40 | 70 | 83 | 67 | 3,0 | 1,0 |
| 6 | 0125m | 150 | 40 | 70 | 91 | 81 | 3,0 | 1,1 |
| 7 | 0140m | 150 | 40 | 70 | 98 | 89 | 3,0 | 1,2 |
| 8 | 0160m | 150 | 40 | 70 | 108 | 99 | 3,0 | 1,3 |
| 9 | 0180m | 170 | 50 | 70 | 118 | 109 | 3,0 | 1,4 |
| 10 | 0200m | 170 | 50 | 70 | 128 | 119 | 3,0 | 1,5 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 1,7 |
| 12 | 0250m | 170 | 50 | 70 | 153 | 144 | 3,0 | 2,1 |
| 13 | 0280m | 170 | 50 | 70 | 168 | 159 | 3,0 | 2,3 |
| 14 | 0315m | 170 | 50 | 70 | 186 | 176 | 3,0 | 3,0 |
| 15 | 0355m | 175 | 50 | 75 | 207 | 198 | 4,0 | 3,8 |
| 16 | 0400m | 180 | 50 | 80 | 229 | 220 | 4,0 | 4,5 |

PVC-UV

| # | d | L | L1 | L2 | H1 | H2 | s | kg |
|----|-------|-----|----|----|-----|-----|-----|-----|
| 1 | 0050m | 130 | 35 | 60 | 54 | 37 | 3,0 | 1,0 |
| 2 | 0063m | 130 | 35 | 60 | 60 | 44 | 3,0 | 1,1 |
| 3 | 0075m | 130 | 35 | 60 | 66 | 50 | 3,0 | 1,2 |
| 4 | 0090m | 130 | 35 | 60 | 74 | 57 | 3,0 | 1,3 |
| 5 | 0110m | 150 | 40 | 70 | 84 | 67 | 3,0 | 1,4 |
| 6 | 0125m | 150 | 40 | 70 | 92 | 81 | 3,0 | 1,5 |
| 7 | 0140m | 150 | 40 | 70 | 99 | 88 | 3,0 | 1,8 |
| 8 | 0160m | 150 | 40 | 70 | 109 | 98 | 3,0 | 2,1 |
| 9 | 0180m | 170 | 50 | 70 | 119 | 108 | 3,0 | 2,2 |
| 10 | 0200m | 170 | 50 | 70 | 129 | 118 | 3,0 | 2,4 |
| 11 | 0225m | 170 | 50 | 70 | 141 | 131 | 3,0 | 2,5 |
| 12 | 0250m | 170 | 50 | 70 | 154 | 145 | 3,0 | 3,3 |
| 13 | 0280m | 170 | 50 | 70 | 169 | 160 | 3,0 | 3,8 |
| 14 | 0315m | 170 | 50 | 70 | 187 | 178 | 3,0 | 4,5 |
| 15 | 0355m | 175 | 50 | 75 | 209 | 213 | 4,0 | 5,2 |
| 16 | 0400m | 200 | 60 | 80 | 231 | 235 | 4,0 | 5,9 |

Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

Farprosys, s.r.o.
email: info@farprosys.com
tel. +420 728 757 770
www.atexventilatory.cz