

## Silencers, circular, effective length 1000 MM

### Popis

effective length 1000 mm

### PVC

#	d	d	s	kg
1	0110-10	315	3,0	10,0
2	0125-10	315	3,0	12,0
3	0140-10	355	3,0	13,0
4	0160-10	355	3,0	14,0
5	0180-10	400	3,0	16,0
6	0200-10	400	3,0	18,0
7	0225-10	450	3,0	20,0
8	0250-10	450	3,0	23,0
9	0280-10	500	3,0	25,0
10	0315-10	500	3,0	28,0
11	0355-10	600	4,0	32,0
12	0400-10	600	4,0	35,0

### PPs

#	d	d	s	kg
1	0110-10	315	3,0	7,0
2	0125-10	315	3,0	9,0
3	0140-10	355	3,0	9,0
4	0160-10	355	3,0	10,0
5	0180-10	400	3,0	12,0
6	0200-10	400	3,0	13,0
7	0225-10	450	4,0	15,0
8	0250-10	450	4,0	17,0
9	0280-10	500	4,0	18,0
10	0315-10	500	5,0	20,0
11	0355-10	600	5,0	23,0
12	0400-10	600	6,0	25,0

## PP

#	d	d	s	kg
1	0110-10	315	3,0	7,0
2	0125-10	315	3,0	9,0
3	0140-10	355	3,0	9,0
4	0160-10	355	3,0	10,0
5	0180-10	400	3,0	12,0
6	0200-10	400	3,0	13,0
7	0225-10	450	4,0	15,0
8	0250-10	450	4,0	17,0
9	0280-10	500	4,0	18,0
10	0315-10	500	5,0	20,0
11	0355-10	600	5,0	23,0
12	0400-10	600	6,0	25,0

## PE

#	d	d	s	kg
1	0110-10	315	3,0	7,0
2	0125-10	315	3,0	9,0
3	0140-10	355	3,0	9,0
4	0160-10	355	3,0	10,0
5	0180-10	400	3,0	12,0
6	0200-10	400	3,0	13,0
7	0225-10	450	4,0	15,0
8	0250-10	450	4,0	17,0
9	0280-10	500	4,0	18,0
10	0315-10	500	5,0	20,0
11	0355-10	600	5,0	23,0
12	0400-10	600	6,0	25,0


## PVDF

#	d	d	s	kg
1	0110-10	315	3,0	7,0
2	0125-10	315	3,0	9,0
3	0140-10	355	3,0	9,0
4	0160-10	355	3,0	10,0
5	0180-10	400	3,0	12,0
6	0200-10	400	3,0	13,0
7	0225-10	450	4,0	15,0
8	0250-10	450	4,0	17,0
9	0280-10	500	4,0	18,0
10	0315-10	500	5,0	20,0
11	0355-10	600	5,0	23,0
12	0400-10	600	6,0	25,0

## PVC-UV

#	d	d	s	kg
1	0110-10	315	3,0	10,0
2	0125-10	315	3,0	12,0
3	0140-10	355	3,0	13,0
4	0160-10	355	3,0	14,0
5	0180-10	400	3,0	16,0
6	0200-10	400	3,0	18,0
7	0225-10	450	3,0	20,0
8	0250-10	450	3,0	23,0
9	0280-10	500	3,0	25,0
10	0315-10	500	3,0	28,0
11	0355-10	600	4,0	32,0
12	0400-10	600	4,0	35,0





---

Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.  
Přeloženo z originálu výrobce.

Farprosys, s.r.o.  
email: [info@farprosys.com](mailto:info@farprosys.com)  
tel. +420 728 757 770  
[www.atexventilatory.cz](http://www.atexventilatory.cz)